



IFWO

RAW SEQUENCE LISTING

DATE: 09/24/2004

PATENT APPLICATION: US/10/757,803

TIME: 13:35:39

Input Set : D:\03-465-C_400.142 SeqListing.txt

Output Set: N:\CRF4\09242004\J757803.raw

3 <110> APPLICANT: Sirna Therapeutics, Inc.

4 Haeberli, Peter

5 McSwiggen, James

6 Beigelman, Leonid

7 Macejak, Dennis

8 Zinnen, Shawn

9 Pavco, Pamela

10 Morrissey, David

11 Fosnaugh, Kathy

12 Jamison, Sharon

13 Vaish, Nerendra

14 Chowrira, Bharat

15 Usman, Nassim

16 James, Thompson

17 Vargeese, Chandra

18 Wang, Weimen

19 Tongqian, Chen

21 <120> TITLE OF INVENTION: RNA Interference Mediated Inhibition of Gene Expression

Using

22 Chemically Modified Short Interfering Nucleic Acid (siNA)

24 <130> FILE REFERENCE: 400/142 (03-465-C)

26 <140> CURRENT APPLICATION NUMBER: US 10/757,803

27 <141> CURRENT FILING DATE: 2004-01-14

29 <150> PRIOR APPLICATION NUMBER: US 10/720,448

30 <151> PRIOR FILING DATE: 2003-11-24

32 <150> PRIOR APPLICATION NUMBER: US 10/693,059

33 <151> PRIOR FILING DATE: 2003-10-23

35 <150> PRIOR APPLICATION NUMBER: US 10/444,853

36 <151> PRIOR FILING DATE: 2003-05-23

38 <150> PRIOR APPLICATION NUMBER: US 10/652,791

39 <151> PRIOR FILING DATE: 2003-08-29

41 <150> PRIOR APPLICATION NUMBER: US 10/422,704

42 <151> PRIOR FILING DATE: 2003-04-24

44 <150> PRIOR APPLICATION NUMBER: US 10/417,012

45 <151> PRIOR FILING DATE: 2003-04-16

47 <150> PRIOR APPLICATION NUMBER: US 10/427,160

48 <151> PRIOR FILING DATE: 2003-04-30

50 <150> PRIOR APPLICATION NUMBER: PCT/US03/05346

51 <151> PRIOR FILING DATE: 2003-02-20

53 <150> PRIOR APPLICATION NUMBER: PCT/US03/05028

54 <151> PRIOR FILING DATE: 2003-02-20

56 <150> PRIOR APPLICATION NUMBER: US 60/358,580

57 <151> PRIOR FILING DATE: 2002-02-20

59 <150> PRIOR APPLICATION NUMBER: US 60/363,124

(pg. 6-7)

ENTERED

RAW SEQUENCE LISTING

DATE: 09/24/2004

PATENT APPLICATION: US/10/757,803

TIME: 13:35:39

Input Set : D:\03-465-C_400.142 SeqListing.txt

Output Set: N:\CRF4\09242004\J757803.raw

```

60 <151> PRIOR FILING DATE: 2002-03-11
62 <150> PRIOR APPLICATION NUMBER: US 60/386,782
63 <151> PRIOR FILING DATE: 2002-06-06
65 <150> PRIOR APPLICATION NUMBER: US 60/406,784
66 <151> PRIOR FILING DATE: 2002-08-29
68 <150> PRIOR APPLICATION NUMBER: US 60/408,378
69 <151> PRIOR FILING DATE: 2002-09-05
71 <150> PRIOR APPLICATION NUMBER: US 60/409,293
72 <151> PRIOR FILING DATE: 2002-09-09
74 <150> PRIOR APPLICATION NUMBER: US 60/440,129
75 <151> PRIOR FILING DATE: 2003-01-15
77 <150> PRIOR APPLICATION NUMBER: PCT/US02/15876
78 <151> PRIOR FILING DATE: 2002-05-17
80 <160> NUMBER OF SEQ ID NOS: 669
82 <170> SOFTWARE: PatentIn version 3.3
84 <210> SEQ ID NO: 1
85 <211> LENGTH: 21
86 <212> TYPE: RNA
87 <213> ORGANISM: Artificial Sequence
89 <220> FEATURE:
90 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region
93 <220> FEATURE:
94 <221> NAME/KEY: misc_feature
95 <222> LOCATION: (1)..(1)
96 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moiety
98 <220> FEATURE:
99 <221> NAME/KEY: misc_feature
100 <222> LOCATION: (21)..(21)
101 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moiety
103 <400> SEQUENCE: 1
104 uaaccucgua cuggugccuc c 21
107 <210> SEQ ID NO: 2
108 <211> LENGTH: 21
109 <212> TYPE: RNA
110 <213> ORGANISM: Artificial Sequence
112 <220> FEATURE:
113 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA antisense region
116 <220> FEATURE:
117 <221> NAME/KEY: misc_feature
118 <222> LOCATION: (1)..(1)
119 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moiety
121 <220> FEATURE:
122 <221> NAME/KEY: misc_feature
123 <222> LOCATION: (21)..(21)
124 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moiety
126 <400> SEQUENCE: 2
127 ggaggcacca guacgagguu a 21
130 <210> SEQ ID NO: 3
131 <211> LENGTH: 21

```

RAW SEQUENCE LISTING

DATE: 09/24/2004

PATENT APPLICATION: US/10/757,803

TIME: 13:35:39

Input Set : D:\03-465-C_400.142 SeqListing.txt

Output Set: N:\CRF4\09242004\J757803.raw

```

132 <212> TYPE: RNA
133 <213> ORGANISM: Artificial Sequence
135 <220> FEATURE:
136 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA antisense region
139 <220> FEATURE:
140 <221> NAME/KEY: misc_feature
141 <222> LOCATION: (1)..(1)
142 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moiety
144 <220> FEATURE:
145 <221> NAME/KEY: misc_feature
146 <222> LOCATION: (21)..(21)
147 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moiety
149 <400> SEQUENCE: 3
150 aaacuccaag auccccauc a 21
153 <210> SEQ ID NO: 4
154 <211> LENGTH: 21
155 <212> TYPE: RNA
156 <213> ORGANISM: Artificial Sequence
158 <220> FEATURE:
159 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region
162 <220> FEATURE:
163 <221> NAME/KEY: misc_feature
164 <222> LOCATION: (1)..(1)
165 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moiety
167 <220> FEATURE:
168 <221> NAME/KEY: misc_feature
169 <222> LOCATION: (21)..(21)
170 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moiety
172 <400> SEQUENCE: 4
173 ugauugggga ucuuggaguu u 21
176 <210> SEQ ID NO: 5
177 <211> LENGTH: 21
178 <212> TYPE: RNA
179 <213> ORGANISM: Artificial Sequence
181 <220> FEATURE:
182 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA antisense region
185 <220> FEATURE:
186 <221> NAME/KEY: misc_feature
187 <222> LOCATION: (1)..(1)
188 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moiety
190 <220> FEATURE:
191 <221> NAME/KEY: misc_feature
192 <222> LOCATION: (21)..(21)
193 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moiety
195 <400> SEQUENCE: 5
196 guaggagucu guaggacung g 21
199 <210> SEQ ID NO: 6
200 <211> LENGTH: 21
201 <212> TYPE: RNA

```

RAW SEQUENCE LISTING

DATE: 09/24/2004

PATENT APPLICATION: US/10/757,803

TIME: 13:35:39

Input Set : D:\03-465-C_400.142 SeqListing.txt

Output Set: N:\CRF4\09242004\J757803.raw

```

202 <213> ORGANISM: Artificial Sequence
204 <220> FEATURE:
205 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region
208 <220> FEATURE:
209 <221> NAME/KEY: misc_feature
210 <222> LOCATION: (1)..(1)
211 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moiety
213 <220> FEATURE:
214 <221> NAME/KEY: misc_feature
215 <222> LOCATION: (21)..(21)
216 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moiety
218 <400> SEQUENCE: 6
219 ccaaguccua cagacuccaa c 21
222 <210> SEQ ID NO: 7
223 <211> LENGTH: 21
224 <212> TYPE: RNA
225 <213> ORGANISM: Artificial Sequence
227 <220> FEATURE:
228 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA antisense region
231 <220> FEATURE:
232 <221> NAME/KEY: misc_feature
233 <222> LOCATION: (1)..(1)
234 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moiety
236 <220> FEATURE:
237 <221> NAME/KEY: misc_feature
238 <222> LOCATION: (21)..(21)
239 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moiety
241 <400> SEQUENCE: 7
242 gcaaaaaccc ugugauuucc u 21
245 <210> SEQ ID NO: 8
246 <211> LENGTH: 21
247 <212> TYPE: RNA
248 <213> ORGANISM: Artificial Sequence
250 <220> FEATURE:
251 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region
254 <220> FEATURE:
255 <221> NAME/KEY: misc_feature
256 <222> LOCATION: (1)..(1)
257 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moiety
259 <220> FEATURE:
260 <221> NAME/KEY: misc_feature
261 <222> LOCATION: (21)..(21)
262 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moiety
264 <400> SEQUENCE: 8
265 aggaaaucaac aggguuuuug c 21
268 <210> SEQ ID NO: 9
269 <211> LENGTH: 21
270 <212> TYPE: RNA
271 <213> ORGANISM: Artificial Sequence

```

RAW SEQUENCE LISTING

DATE: 09/24/2004

PATENT APPLICATION: US/10/757,803

TIME: 13:35:39

Input Set : D:\03-465-C_400.142 SeqListing.txt

Output Set : N:\CRF4\09242004\J757803.raw

```

273 <220> FEATURE:
274 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA antisense region
277 <220> FEATURE:
278 <221> NAME/KEY: misc_feature
279 <222> LOCATION: (1)..(1)
280 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moiety
282 <220> FEATURE:
283 <221> NAME/KEY: misc_feature
284 <222> LOCATION: (21)..(21)
285 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moiety
287 <400> SEQUENCE: 9
288 uuggucaguu ucuggcaguu c 21
291 <210> SEQ ID NO: 10
292 <211> LENGTH: 21
293 <212> TYPE: RNA
294 <213> ORGANISM: Artificial Sequence
296 <220> FEATURE:
297 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region
300 <220> FEATURE:
301 <221> NAME/KEY: misc_feature
302 <222> LOCATION: (1)..(1)
303 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moiety
305 <220> FEATURE:
306 <221> NAME/KEY: misc_feature
307 <222> LOCATION: (21)..(21)
308 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moiety
310 <400> SEQUENCE: 10
311 gaacugccag aaacugacca a 21
314 <210> SEQ ID NO: 11
315 <211> LENGTH: 21
316 <212> TYPE: RNA
317 <213> ORGANISM: Artificial Sequence
319 <220> FEATURE:
320 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region
323 <220> FEATURE:
324 <221> NAME/KEY: misc_feature
325 <222> LOCATION: (1)..(1)
326 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moiety
328 <220> FEATURE:
329 <221> NAME/KEY: misc_feature
330 <222> LOCATION: (21)..(21)
331 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moiety
333 <400> SEQUENCE: 11
334 gguccuuucu uggaucaacc c 21
337 <210> SEQ ID NO: 12
338 <211> LENGTH: 21
339 <212> TYPE: RNA
340 <213> ORGANISM: Artificial Sequence
342 <220> FEATURE:

```

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 09/24/2004
PATENT APPLICATION: US/10/757,803 TIME: 13:35:40

Input Set : D:\03-465-C_400.142 SeqListing.txt
Output Set: N:\CRF4\09242004\J757803.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:67; N Pos. 20,21
Seq#:68; N Pos. 20,21
Seq#:69; N Pos. 20,21
Seq#:70; N Pos. 20,21
Seq#:71; N Pos. 20,21
Seq#:72; N Pos. 20,21
Seq#:73; N Pos. 20,21
Seq#:74; N Pos. 20,21
Seq#:75; N Pos. 20,21
Seq#:76; N Pos. 20,21
Seq#:77; N Pos. 20,21
Seq#:78; N Pos. 20,21
Seq#:79; N Pos. 20,21
Seq#:80; N Pos. 20,21
Seq#:82; N Pos. 14,15
Seq#:84; N Pos. 12,13
Seq#:85; N Pos. 20,21
Seq#:86; N Pos. 20,21
Seq#:87; N Pos. 20,21
Seq#:88; N Pos. 20,21
Seq#:89; N Pos. 20,21
Seq#:90; N Pos. 20,21
Seq#:91; N Pos. 20,21
Seq#:92; N Pos. 20,21
Seq#:93; N Pos. 20,21
Seq#:94; N Pos. 20,21
Seq#:95; N Pos. 20,21
Seq#:96; N Pos. 20,21
Seq#:97; N Pos. 20,21
Seq#:98; N Pos. 20,21
Seq#:99; N Pos. 20,21
Seq#:100; N Pos. 20,21
Seq#:101; N Pos. 20,21
Seq#:102; N Pos. 20,21
Seq#:103; N Pos. 20,21
Seq#:104; N Pos. 20,21
Seq#:105; N Pos. 20,21
Seq#:106; N Pos. 20,21
Seq#:107; N Pos. 20,21
Seq#:108; N Pos. 20,21
Seq#:109; N Pos. 20,21
Seq#:110; N Pos. 20,21
Seq#:111; N Pos. 20,21
Seq#:112; N Pos. 20,21

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/10/757,803

DATE: 09/24/2004
TIME: 13:35:40

Input Set : D:\03-465-C_400.142 SeqListing.txt
Output Set: N:\CRF4\09242004\J757803.raw

Seq#:113; N Pos. 20,21
Seq#:114; N Pos. 20,21
Seq#:115; N Pos. 20,21
Seq#:116; N Pos. 20,21
Seq#:117; N Pos. 20,21
Seq#:118; N Pos. 20,21
Seq#:119; N Pos. 20,21

Invalid Line Length:

The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:175; Line(s) 3572
Seq#:290; Line(s) 5628
Seq#:474; Line(s) 13068
Seq#:478; Line(s) 13275
Seq#:482; Line(s) 13477
Seq#:486; Line(s) 13649
Seq#:490; Line(s) 13821
Seq#:494; Line(s) 13993
Seq#:498; Line(s) 14170
Seq#:502; Line(s) 14352
Seq#:506; Line(s) 14529
Seq#:521; Line(s) 14799
Seq#:522; Line(s) 14831
Seq#:523; Line(s) 14858
Seq#:524; Line(s) 14885
Seq#:525; Line(s) 14912
Seq#:526; Line(s) 14944
Seq#:527; Line(s) 14976
Seq#:528; Line(s) 15009
Seq#:529; Line(s) 15042

VERIFICATION SUMMARY

DATE: 09/24/2004

PATENT APPLICATION: US/10/757,803

TIME: 13:35:40

Input Set : D:\03-465-C_400.142 SeqListing.txt

Output Set: N:\CRF4\09242004\J757803.raw

L:1397 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:67 after pos.:0
L:1415 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:68 after pos.:0
L:1433 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:69 after pos.:0
L:1451 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:70 after pos.:0
L:1474 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:71 after pos.:0
L:1522 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:72 after pos.:0
L:1545 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:73 after pos.:0
L:1568 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:74 after pos.:0
L:1591 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:75 after pos.:0
L:1614 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:76 after pos.:0
L:1662 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:77 after pos.:0
L:1690 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:78 after pos.:0
L:1713 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:79 after pos.:0
L:1736 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:80 after pos.:0
L:1766 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:82 after pos.:0
L:1796 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:84 after pos.:0
L:1849 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:85 after pos.:0
L:1872 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:86 after pos.:0
L:1925 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:87 after pos.:0
L:1943 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:88 after pos.:0
L:1961 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:89 after pos.:0
L:1979 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:90 after pos.:0
L:1997 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:91 after pos.:0
L:2015 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:92 after pos.:0
L:2033 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:93 after pos.:0
L:2051 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:94 after pos.:0
L:2069 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:95 after pos.:0
L:2087 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:96 after pos.:0
L:2105 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:97 after pos.:0
L:2123 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:98 after pos.:0
L:2141 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:99 after pos.:0
L:2184 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:100 after pos.:0
L:2207 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:101 after pos.:0
L:2255 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:102 after pos.:0
L:2278 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:103 after pos.:0
L:2301 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:104 after pos.:0
L:2324 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:105 after pos.:0
L:2347 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:106 after pos.:0
L:2365 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:107 after pos.:0
L:2383 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:108 after pos.:0
L:2401 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:109 after pos.:0
L:2419 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:110 after pos.:0
L:2437 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:111 after pos.:0
L:2455 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:112 after pos.:0
L:2473 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:113 after pos.:0
L:2491 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114 after pos.:0
L:2509 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:115 after pos.:0
L:2527 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:116 after pos.:0

VERIFICATION SUMMARY

DATE: 09/24/2004

PATENT APPLICATION: US/10/757,803

TIME: 13:35:40

Input Set : D:\03-465-C_400.142 SeqListing.txt

Output Set: N:\CRF4\09242004\J757803.raw

L:2545 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:117 after pos.:0
L:2563 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:118 after pos.:0
L:14758 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (517) SEQUENCE:
L:14764 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (518) SEQUENCE:
L:14770 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (519) SEQUENCE:
L:14775 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (520) SEQUENCE:
L:15099 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (531) SEQUENCE: